

**GOVERNMENT OF ANDHRA PRADESH**  
**ABSTRACT**

Public Services – Municipal Administration & Urban Development Department – Tenali Municipality – Irregularities in execution of roads in Nara Chandra Babu Naidu Colony, Tenali - Departmental proceedings under Rule –20 of the APCS (CCA) Rules, 1991 against Sri M.A. Sukoor, the then Municipal Engineer and Sri M. Narasimha Rao, the then Municipal Assistant Engineer, Tenali Municipality – Defenses submitted – Further action dropped - Orders –Issued.

---

**Municipal Administration & Urban Development (E1) Department**

**G.O.Rt.No. 588**

**Dated:23.04.2009**

**Read the following:**

- 1). The General Administration (V&E) Department  
V.R.No.175(1297/V&E/E1/04) dt.20.12.2005.
- 2). GO.Rt.No.1264 MA & UD(E1) Dept, dt.10.11.2006.
- 3). GO.Rt.No.1265 MA & UD(E1) Dept, dt.10.11.2006
- 4). Explanations submitted by Sri M.A. Sukoor, the then Municipal Engineer and Sri M. Narasimha Rao, the then Municipal Assistant Engineer, Tenali Municipality
- 5). Govt Memo No.2220/E1/06, dt.01.12.2007,22.05.2008.
- 6). From the Commissioner, Tenali Municipality letter Roc No.3164/2001/E1 dt.07.10.2006 addressed to the ENC (PH), Hyderabad.

<<O>>

**ORDER:**

The investigating Agency has conducted an enquiry on the irregularities in execution of Roads in Nara Chandra Babu Naidu Colony in Tenali and submitted a report to Government.

2. In the reference 2nd & 3rd read above, charges were framed and served on Sri M.A. Sukoor, the then Municipal Engineer, and Sri M. Narasimha Rao, the then Municipal Assistant Engineer, Tenali Municipality . In the reference 4th read above the charged officers have submitted their statements of defense.
3. In the reference 5th read above, the Engineer –in-Chief (PH), Hyderabad was requested to furnish the remarks on the explanations submitted by the charged officers. In the reference 6th read above, the Commissioner has reported that as recommended by Vigilance & Enforcement the amount has been made good from the contractors and adjusted to Municipal funds as mentioned and the average deficiencies of the work is very meager and within the permissible limit.
4. Government after careful examination of the statements of defense of Charged Officers observed that they are convincing. Accordingly it is decided to drop further action against Sri M.A. Sukoor, the then Municipal Engineer & M. Narasimha Rao, the then Municipal Assistant Engineer, Tenali Municipality. Accordingly, Government hereby drop further action against them.
5. The Engineer-in-Chief (PH), Hyderabad shall take further necessary action in the matter.

**(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)**

Dr. C.V.S.K. SARMA

PRINCIPAL SECRETARY TO GOVERNMENT

To

Sri M.A. Sukoor, the then Municipal Engineer, Tenali Municipality.

(through Engineer –in-Chief (PH), Hyderabad)

Sr M. Narasimha Rao, the then Municipal Assistant Engineer, Tenali Municipality.

(through Engineer –in-Chief (PH), Hyderabad)

**Copy to:**

The Engineer –in-Chief (PH), Hyderabad.

MA & UD (C) Department.

//FORWARDED BY ORDER//

**SECTION OFFICER**